

Reynobond® Design Line Nature. Now available in aluminum.





# Environmentally sound products that are virtually indistinguishable from their natural counterparts

At first glance you'd swear it's really mahogany. Or granite. Or copper patina. Reynobond® wood, mineral, granite, patina and stone paint finishes – inspired by Mother Nature – offer a variety of striking design choices with all the benefits of Reynobond Aluminum Composite Material.

Thanks to the lightweight panel's remarkable strength and flatness, you can explore an endless variety of interior and exterior design options. Even the most challenging architectural concepts are easy to accomplish.

In addition, with Reynobond Face Fastened Solutions you enjoy a perfect combination of durability, flexibility, simplicity and affordability. The exposed fastener system offers all the advantages you expect from Reynobond Aluminum Composite Material, including the ability to withstand extreme temperatures and humidity, meaning there are no geographic limitations as to where it can be used. Plus we can also provide screws that match the finish.

Reynobond Design Line. It's another example of Excellence in Innovation from Alcoa Architectural Products that can help you make an impact on our world.





### **Natural Finishes: Wood**




## Natural Finishes: Terra/Mineral






### **Natural Finishes: Granite**



White Granite



Rose Granite



Blue-Grey Granite



Black Granite

# Natural Finishes: Patina



Zinc Patina





Rust Patina



# Italian Walnut

### **Natural Finishes: Stone**



Okene Line



Dark Zebrano

Light Oyster Travertine



Apollo Stone



Riyad Stone

Check website for details. Availability is subject to change. Please consult your Alcoa Architectural Products representative for specific availability.

### Colorweld® DL Properties

Properties	Test Method	Coil-coated Aluminum Reynobond®
Specular Gloss @ 60°	ASTM D523	Ranges from 20% to >80%
Pencil Hardness	ASTM D3363	F min
Flexibility (T-bend)	ASTM D4145	OT
Reverse Impact	ASTM B2794	No cracking or adhesion loss
Salt Spray Resistance 5% Salt Fog @ 95 degrees	ASTM B117	Passed 3000 hrs
Humidity Resistance 100% RH @ 95 degrees	ASTM D2247	Passed 3000 hrs
Color Retention	ASTM D2244	Maximum 5 fade
Chalk Resistance	ASTM D4214	Maximum 8 chalk

All coatings are thoroughly tested and backed by the strength and integrity of Alcoa. Alcoa Architectural Products Colorweld DL coatings come with a 20-year finish warranty. Please consult factory for warranty information.

Colors and patterns shown are as close to actual colors as possible within the limitations of commercial printing reproduction. This publication is based on the latest data available at the time of printing. Due to product changes, improvements and other factors, Alcoa reserves the right to change or withdraw information contained herein without prior notice. Contact Alcoa Architectural Products for material samples.

Information contained herein or related hereto is intended only for evaluation by technically skilled persons, with any use thereof to be at their independent discretion and risk. Such information is believed to be reliable, but Alcoa Architectural Products ("Alcoa") shall have no responsibility or liability for results obtained or damages resulting from such use. Alcoa grants no license under, and shall have no responsibility or liability for infringement of, any patent or other proprietary right. Nothing in this document should be construed as a warranty or guarantee by Alcoa, and the only applicable warranties will be those set forth in Alcoa acknowledgement or in any printed warranty documents issued by Alcoa. The foregoing may be waived or modified only in writing by an Alcoa officer.

For a complete technical overview of all Reynobond products, visit alcoaarchitecturalproducts.com.

### **Alcoa Architectural Products**

50 Industrial Boulevard Eastman, GA 31023-4129 Tel. 800 841 7774

alcoaarchitecturalproducts.com

